

IPW



LAW OFFICES OF  
**SYNNESTVEDT & LECHNER LLP**  
2600 ARAMARK TOWER  
1101 MARKET STREET  
PHILADELPHIA, PA 19107-2950  
TELEPHONE (215) 923-4466  
FACSIMILE (215) 923-2189  
E-MAIL [synnlech@synnlech.com](mailto:synnlech@synnlech.com)  
[www.synnlech.com](http://www.synnlech.com)

November 17, 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re\ Application of: William J. Reilly & Joseph K. Banis

Appln. No.: 10/759,714 Examiner: S. Ganey

Filed: January 16, 2004 Group Art Unit: 3752

For: DIAPHRAGM VALVE WITH  
PIVOTING CLOSURE MEMBER

(Atty. Docket No. 27385 USA)

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first-class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, Mail Stop Amendment, P. O. Box 1450, Alexandria, VA 22313-1450 on November 17, 2005.

  
Dawn M. Larsen

RESPONSE TO THE RESTRICTION  
REQUIREMENT DATED NOVEMBER 1, 2005

Commissioner for Patents  
Mail Stop Amendment  
P. O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the restriction requirement dated November 1, 2005, please amend the application as follows.

SYNNESTVEDT & LECHNER LLP

RESPONSE TO RESTRICTION REQUIREMENT  
DATED NOVEMBER 1, 2005

Appln No. 10/759,714

- 2 -

November 17, 2005

Amendments to the Claims being on page 3 of this paper.

Remarks begin on page 14 of this paper.